

The Future of

# Hose Technology



Barfell Product Code	Nominal in mm's		Working Pres. @ 20°C		Burst Pres. @ 20°C		Weight Kg/m	Coil Lengths in Metres
	I.D.	O.D.	Mpa	P.S.I.	Mpa	P.S.I.		

General purpose air and water hose with a highly distinctive yellow & blue stripes, optimum flexibility, resilience & kink resistance.

201650	6	12.8	2.0	290	8.0	1,160	0.13	20, 100s, 300r
201652	8	14.8	2.0	290	8.0	1,160	0.16	20, 100s, 300r
201654	10	16.6	2.0	290	8.0	1,160	0.17	20, 30, 80s, 100, 300r
201656	12.5	19.3	2.0	290	8.0	1,160	0.19	20, 55s, 100, 250r
201658	20	29.0	1.6	230	6.4	920	0.45	20, 100
201660	25	34.6	1.6	230	6.4	920	0.62	20, 100
201662	32	43.4	1.6	230	6.4	920	1.15	20, 60
201664	38	50.6	1.6	230	6.4	920	1.56	20, 40
201666	50	64.6	1.6	230	6.4	920	2.40	20, 40

**Applications** Suitable for general purpose air & water supply. Also suitable for the conveyance of liquids, gases and many chemicals. Ideal for high pressure air lines and compressors.

**Exceeds** AS/NZ2554 Class B for burst pressure, wall thickness, abrasion resistance, weathering resistance, low temperature flexibility, ozone resistance and bond strength.



## SUPER ULTRAFLEX

**Inner wall** Black  
**Outer wall** Yellow with Blue Stripe

For air, water and fluid transfer where low temperature flexibility is required. Oil mist resistance makes the hose the ideal choice for nail guns and other air operated hand tools.

201391	6	11.5	2.0	290	8.0	1,160	0.13	20, 100, 300r
201411	8	14.0	2.0	290	8.0	1,160	0.13	20, 100, 300r
201441	10	16.6	2.0	290	8.0	1,160	0.18	20, 30, 70s, 100, 200r
201461	12.5	18.9	2.0	290	8.0	1,160	0.22	20, 50s, 100, 200r
201463	19	26.5	1.6	230	6.4	920	0.51	20, 100

**Applications** Air lines to all pneumatic tools and portable equipment.

**Meets** AS/NZ2554 Class B.



## BLUE COLD FLEX


**Inner wall** Black  
**Outer wall** Smooth Blue

A Translucent multi purpose food contact hose. It meets AS2070 1999, with a food contact inner and outer covering. The hose is highly flexible but kink resistant with a highly distinctive dual striping.

201105	6	10.2	1.4	200	5.6	800	0.08	20, 100s, 300r
201108	8	12.4	1.4	200	5.6	800	0.10	20, 100s, 300r
201111	10	15.0	1.4	200	5.6	800	0.14	20, 80s, 100, 300r
201151	12.5	18.1	1.4	200	5.6	800	0.19	20, 55S, 100, 250r
201156	16	22.8	1.4	200	5.6	800	0.30	20, 100
201161	20	27.6	1.4	200	5.6	800	0.40	20, 100
201166	25	33.4	1.4	200	5.6	800	0.54	20, 100
201176	32	41.8	1.2	175	4.8	700	0.97	20, 60
201186	38	49.8	1.2	175	4.8	700	1.32	20, 40
201188	50	64.2	0.9	131	3.6	524	2.12	20, 40

**Applications** Suitable for air, water, food and beverage liquids and semi liquids and petroleum based products.

**Meets** AS2070 1999, with a food contact inner and outer covering.



## TMP II

**Inner wall** Clear  
**Outer wall** Clear with Yellow and Blue Stripes

**CUSTOM LENGTHS AVAILABLE**

Product Specifications may Change without Notice

R ~ Reels & S ~ Spools

**PRESSURE HOSE**